





TYPE Silver containing cadmium free brazing alloy

APPLICATIONS Alloyed and unalloyed steel, nickel and nickel alloys, Malleable Iron, Copper and Copper alloys and

hard metals. When brass is soldered, the colors are largely the same. The silicon in the solder can

lower the mechanical quality values when brazing carbon steels

PROPERTIES L-Ag20 is a Silver-containing, superheat-resistant silver solder alloy without Cadmium for gap and

joint soldering Flux/Paste: CEWELD Super-Flux

CLASSIFICATION EN ISO 17672: Ag 220

SUITABLE FOR Brazing: Steels, Copper, Copper Alloys, Stainless steel, Nickel, Nickel Alloys and Malleable Cast Iron.

Also suitable for dissimilar joints between these metals. Heat resistant up to 300°C.

APPROVALS

WELDING POSITIONS

PA PB PC PD PE PF PG

TYPICAL CHEMICAL ANALYSIS OF THE FILLER

METAL (%)

Si	Cu	Zn	Ag
0.1	44	36	20

MECHANICAL PROPERTIES

Heat	R _{P0,2}	Rm	A5	Hardness
Treatment	(MPa)	(MPa)	(%)	
As Welded		430		HRc

REDRYING Not required

MELTING RANGE 690 - 810°C

GAS ACC. EN ISO 14175